

FIG. 1 (PRIOR ART)




FIG. 2A




FIG. 2B




FIG. 2C




FIG. 2D




FIG. 2E




FIG. 3




FIG. 4




FIG. 5




FIG. 6A




FIG. 6B




FIG. 7A




FIG. 7B




FIG. 7C




FIG 8A




FIG 8B




FIG. 9




FIG. 10





FIG. 11






Fig. 12A1

Fig. 12A




Fig. 12B





Fig. 12A1



MATCH TO FIG. 13A2

Fig. 13A1a

Fig. 13A1

Match TO FIG. 13A1

ppSize1280.jsp

▼

Search

ts Admin

STATUS ● ○

back

net map

refresh

save

help

Commit

Analyze Config

Disable AP Radio

Enable AP Radio

Access Point Identification

00:40:96:56:d6:2a

00:40:96:56:d6:2a

Cisco 350

Aironet Wireless Communication

☐ Yes ☒ No

Network

172.16.96.222

fkhan

Access Point Policy

☒ Yes ☐ No ☐ Ignore

Active policy ▼

Policy Editor

Default ▼

Policy Editor

Default ▼

Policy Editor

Fig. 13A2




Fig. 13A1a

MATCH TO FIG. 13B2

Active Policy Management

Access Point Settings

Model NameCisco 350 Series AP 11.21"

MAC Address00:40:96:56:d6:2a

Fixed Channel5

Allowed Authentication Modes☒ Open☒ Shared Key☒ LEAP

EAP Authentication Required☐ Open☒ Shared Key

Allowed WEP Modes☐ Off☐ On☒ Both

Allow SSID In Beacon☒ Yes☐ No

Allowed Rates☐ 1 Mbps☐ 2 Mbps☒ 5.5 Mbps☒ 11 Mbps

Use Basic for Rate☐ 1 Mbps☒ 2 Mbps☒ 5.5 Mbps☐ 11 Mbps

AP Radio Status☒ Yes☐ No

Close

Fig. 13B1

Settings to Apply Based on Configuration Policy

Select Configuration Policy

Active Policy

Policy Name

Active Policy

Fixed Channel

5

Allowed Authentication Modes

☒ Open

☒ Shared Key

☒ LEAP

EAP Authentication Required*

☐ Open

☒ Shared Key

Allowed WEP Modes

☐ Off

☐ On

☒ Both

Allow SSID In Beacon

☒ Yes

☐ No

Allowed Rates

☐ 1 Mbps

☐ 2 Mbps

☒ 5.5 Mbps

☒ 11 Mbps

Use Basic for Rate*

☐ 1 Mbps

☐ 2 Mbps

☐ 5.5 Mbps

☐ 11 Mbps

* Additional Manufacture Settings

Activate

MATCH TO FIG. 13B1

Fig. 13B2

Set Channel Scanning

☐ Background Scan Per Hour (All Channels)

Enable Scan	Minutes To Scan
<input type="checkbox"/> All Channels	<input type="text" value="1"/> <input type="button" value="▲"/> <input type="button" value="▼"/>
<input type="checkbox"/> Channel 1	<input type="text" value="1"/> <input type="button" value="▲"/> <input type="button" value="▼"/>
<input checked="" type="checkbox"/> Channel 2	<input type="text" value="1"/> <input type="button" value="▲"/> <input type="button" value="▼"/>
<input type="checkbox"/> Channel 3	<input type="text" value="1"/> <input type="button" value="▲"/> <input type="button" value="▼"/>
<input checked="" type="checkbox"/> Channel 4	<input type="text" value="1"/> <input type="button" value="▲"/> <input type="button" value="▼"/>
<input type="checkbox"/> Channel 5	<input type="text" value="1"/> <input type="button" value="▲"/> <input type="button" value="▼"/>
<input type="checkbox"/> Channel 6	<input type="text" value="1"/> <input type="button" value="▲"/> <input type="button" value="▼"/>
<input type="checkbox"/> Channel 7	<input type="text" value="1"/> <input type="button" value="▲"/> <input type="button" value="▼"/>
<input type="checkbox"/> Channel 8	<input type="text" value="1"/> <input type="button" value="▲"/> <input type="button" value="▼"/>
<input type="checkbox"/> Channel 9	<input type="text" value="1"/> <input type="button" value="▲"/> <input type="button" value="▼"/>
<input type="checkbox"/> Channel 10	<input type="text" value="1"/> <input type="button" value="▲"/> <input type="button" value="▼"/>
<input type="checkbox"/> Channel 11	<input type="text" value="1"/> <input type="button" value="▲"/> <input type="button" value="▼"/>
<input type="checkbox"/> Channel 12	<input type="text" value="1"/> <input type="button" value="▲"/> <input type="button" value="▼"/>
<input type="checkbox"/> Channel 13	<input type="text" value="1"/> <input type="button" value="▲"/> <input type="button" value="▼"/>
<input type="checkbox"/> Channel 14	<input type="text" value="1"/> <input type="button" value="▲"/> <input type="button" value="▼"/>

OK Cancel

Fig. 14

FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19

